

# SEAL-TITE WR GUTTER QUICKLOCK RADIUS BOX


## NOTES

- Bottom sizes are provided in 1/2" increments
- Maximum downspout dimension not to exceed "B" minus 9/16"
- Pop rivets provided
- Product should be installed per provided installation instructions
- ANSI/SPRI GT-1 Test Pressure up to 223 psf (Horizontal) and 136 psf (Vertical)

### PROVIDING A RADIUS

THE RADIUS MAY BE PROVIDED IN ONE OF TWO METHODS:


1) THE ACTUAL KNOWN RADIUS IS





OR

2) FIELD CONDITION MEASUREMENTS

NOTE: REFER TO RADIUS WORKSHEET FOR MORE INFORMATION.



NOTE: CHECK MEASUREMENTS ALONG ENTIRE RADIUS  
**DETAIL A**



### IMPORTANT!

MUST INDICATE THE PROPER RADIUS CONDITION BY CIRCLING APPROPRIATE OUTSIDE FACE.

## APPROVALS



**ANSI/SPRI/GT-1**  
Test Pressures listed in notes

## PROJECT INFO

Project Name: \_\_\_\_\_

Architect: \_\_\_\_\_

Roofing Contractor: \_\_\_\_\_

### Project Type:

By selecting this box you have verified and confirmed that dimensions, sizes, and quantities are correct. All products will be installed in strict accordance with printed instructions.

Date: \_\_\_\_\_

**Metal-Era LLC**  
1600 Airport Rd.  
Waukesha, WI 53188  
Phone: 800-558-2162  
www.metalera.com

SHT# \_\_\_\_\_ of \_\_\_\_\_

DATE: **05/17/23**

DRN BY: **PL/JJC**

CKD BY: **MM**

DWG #: 11012-40809

REV: **B**

## DIMENSIONS

SELECT SIZE	A (FACE)	B (BOTTOM)	C (BACK)
<input type="checkbox"/>	5 1/4"	5 1/4"	6 1/4"
<input type="checkbox"/>	5 3/4"	5 3/4"	6 3/4"
<input type="checkbox"/>	6 1/4"	6 1/4"	7 1/4"
<input type="checkbox"/>	6 3/4"	6 3/4"	7 3/4"
<input type="checkbox"/>	7 1/4"	7 1/4"	8 1/4"
<input type="checkbox"/>	7 3/4"	7 3/4"	8 3/4"

## MATERIAL

24 Ga. Galv. Steel  
22 Ga. Galv. Steel  
.040" Aluminum  
.050" Aluminum  
.063" Aluminum  
OTHER: \_\_\_\_\_

Color: \_\_\_\_\_

Finish: \_\_\_\_\_

Substrate:  
If substrate is not given, wood fasteners will be provided.

- Wood  
 Masonry  
 Metal

## QUANTITIES

\_\_\_\_\_ Lineal Feet ( 4'-0" Lengths)