



FASCIA INCLUDES 3 1/2" WIDE SPLICE PLATE AT JOINTS.

- ① STANDARD FASCIA WILL NOT FUNCTION WITH ROOF FLASHING THICKER THAN 3/16".
- ② WELDED ACCESSORIES REQUIRE A MINIMUM OF MATERIAL THICKNESS OF .050"

NOTE: -- UNLESS OTHERWISE NOTED, FABRICATION OF MITERS AND ACCESSORIES ARE FURNISHED STANDARD.

PERMA-TITE SYSTEM 300 FASCIA DIMENSIONS

PRODUCT ID. NO.	H DIM	X DIM	NAILER COVERAGE
<input type="checkbox"/> FA-395S	9 3/4"	7 3/8"	4 NAILERS
<input type="checkbox"/> FA-3110S	11 1/4"	8 7/8"	5 NAILERS
<input type="checkbox"/> FA-3125S	12 3/4"	10 3/8"	6 NAILERS

ANSI/SPRI/FM 4435/ ES-1
DESIGN PRESSURE

FA-395 TO FA-3125 IN .050 OR .063" - 116 psf

AUTHORIZED SIGNATURE:

APPROVED BY: _____

DATE: _____

MATERIAL:

- ___ 24 GA. GALV. STEEL
- ___ .040" ALUMINUM
- ___ OTHER _____
- ___ .050" ALUMINUM
- ___ .063" ALUMINUM

COLOR: _____ FINISH: _____

QUANTITIES:

- ___ LINEAL FEET 12'-0" LENGTHS
 - ___ OUTSIDE MITER(S) @ 90°
 - ___ INSIDE MITER(S) @ 90°
 - ___ RIGHT ENDCAP(S)
 - ___ LEFT ENDCAP(S)
 - ___ RIGHT ENDWALL FLASHING(S)
 - ___ LEFT ENDWALL FLASHING(S)
 - ___ OVERFLOW SCUPPER(S) STYLE ___A___B
 - ___ SPILLOUT SCUPPER(S) STYLE ___A___B
 - ___ DOWNSPOUT SCUPPER(S) STYLE ___A___B
 - (___X___) SIZE
- SPECIFY ACCESSORY TYPE:
 WELDED ②
 STANDARD
- A: TAPERED 1 1/2" DROP
B: FLAT

FOR NON-90 MITERS SEE PRINT APPROVAL #11010-1103

PROJECT:	
ARCHITECT:	
ROOFING CONTRACTOR:	
REPRESENTATIVE/DISTRIBUTOR:	
CORPORATE OFFICES, MANUFACTURING 1600 AIRPORT ROAD; WAUKESHA, WI 53188	PHONE: 800-558-2162 FAX: 800-373-9156
WEBSITE: WWW.METALERA.COM EMAIL: QUOTE@METALERA.COM	DATE: 11/01/16
	DRN BY: JJC
	CKD BY: SAK
	SHT.# ___ OF ___
	DWG# 11310-11200
	G