

IMPORTANT!!! MUST INDICATE PROPER RADIUS CONDITION BY CIRCLING APPROPRIATE OUTSIDE FACE

PROVIDING A RADIUS
THE RADIUS MAY BE PROVIDED IN ONE OF TWO METHODS:


1.) THE ACTUAL KNOWN RADIUS IS

_____ ' FEET _____ " INCHES

OR

2.) FIELD CONDITION MEASUREMENTS


NOTE: REFER TO ATTACHED WORKSHEET FOR FURTHER INFORMATION



MINIMUM OF 2'-6" (CALL IF LESS)
* RADIUS PRODUCT NOT REQUIRED IF OVER 100'-0"

MAXIMUM OF 6" (CALL IF MORE)
* RADIUS PRODUCT NOT REQUIRED IF UNDER 5'⁵/₃₂"

LENGTH OF STRAIGHT EDGE
NOTE: CHECK MEASUREMENTS ALONG ENTIRE RADIUS.
DETAIL A



SECUREEDGE 2000 RADIUS FASCIA DIMENSIONS			
PRODUCT ID. NO.	H DIM.	X DIM.	COVERAGE
<input type="checkbox"/> AF - S40	4"	2 3/4"	1 NAILER
<input type="checkbox"/> AF - S55	5 1/2"	4 1/4"	2 NAILERS
<input type="checkbox"/> AF - S70	7"	5 3/4"	3 NAILERS
<input type="checkbox"/> AF - S85	8 1/2"	7 1/4"	4 NAILERS

Fabrication will proceed only after receipt of signed print approval.

Print Approval:

Architect and/or contractor shall verify all dimensions, sizes, and quantities. All products to be installed in strict accordance with Sika Sarnafil printed instructions.

Approved by: _____

Date: _____

MATERIAL:

- ___ 24 Ga. Galv. Steel
- ___ .040" Aluminum
- ___ OTHER _____

Color: _____

Finish: _____

QUANTITIES:

_____ Lineal Feet 12'-0" Lengths

PROJECT	Sika Sarnafil Inc. 100 Dan Road Canton, MA 02021 (800) 451-2504 Fax: (781) 828-5365 www.metalera.com/sikasarnafil
ARCHITECT	
ROOFING CONTRACTOR	
REPRESENTATIVE/DISTRIBUTOR	



DATE: 03/27/17	SHT.# ____ OF ____
DRN BY: JAB	DWG# 14010-2833
CKD BY: SAK	