


# DOW SYSTEM 200 FASCIA QUOTE/ORDER FORM

(circle one)

DATE: \_\_\_\_\_ SHIP TO: \_\_\_\_\_  
 P.O. #: \_\_\_\_\_  
 JOB NAME: \_\_\_\_\_  
 ORDERED BY: \_\_\_\_\_ CARRIER TO CALL 24 HRS. BEFORE DELIVERY: \_\_\_\_\_  
 COMPANY: \_\_\_\_\_  
 TELEPHONE: \_\_\_\_\_  
 FAX: \_\_\_\_\_ F.O.B. Destination

Check the appropriate fascia system and fill in dimensions

## DOW SYSTEM 200 FASCIA CRIMP-ON VERSION



- |  |  |
|--|--|
| <input type="checkbox"/> FA-S50 (5")     | <input type="checkbox"/> FA-S95 (9 1/2") *   |
| <input type="checkbox"/> FA-S65 (6 1/2") | <input type="checkbox"/> FA-S110 (11") *     |
| <input type="checkbox"/> FA-S80 (8")     | <input type="checkbox"/> FA-S125 (12 1/2") * |

\*Sizes not available in 24 ga. or .040" Alum. unless a stiffening band is used.

### MATERIAL: (CHECK ONE)

- |   |  |
|---|--|
| <input type="checkbox"/> 24 ga. (0.61 mm) Steel | <input type="checkbox"/> .050" (1.27 mm) Alum. |
| <input type="checkbox"/> .040" (1.01 mm) Alum.  | <input type="checkbox"/> .063" (1.60 mm) Alum. |

Color: \_\_\_\_\_ (Sm) (Tx)

Finish: \_\_\_\_\_

### QUANTITIES:


- |   |            |
|---|------------|
| ____ L.F. (12' Lengths)                 | \$ ____/LF |
| ____ EA. Outside Miters (90°)           | \$ ____/EA |
| ____ EA. Inside Miters (90°)            | \$ ____/EA |
| ____ EA. Right Endcaps                  | \$ ____/EA |
| ____ EA. Left Endcaps                   | \$ ____/EA |
| ____ EA. Right Endwall Flashings        | \$ ____/EA |
| ____ EA. Left Endwall Flashings         | \$ ____/EA |
| ____ EA. Overflow Scupper Style __A__B  | \$ ____/EA |
| ____ EA. Spillout Scupper Style __A__B  | \$ ____/EA |
| ____ EA. Downspout Scupper Style __A__B | \$ ____/EA |

A: Tapered 1 1/2" Drop

B: Flat

### COST

## DOW SYSTEM 200 FASCIA SNAP-ON VERSION



- |   |   |
|---|---|
| <input type="checkbox"/> FA-50 (5 1/4") | <input type="checkbox"/> FA-95 (9 3/4")   |
| <input type="checkbox"/> FA-65 (6 3/4") | <input type="checkbox"/> FA-110 (11 1/4") |
| <input type="checkbox"/> FA-80 (8 1/4") | <input type="checkbox"/> FA-125 (12 3/4") |

### MATERIAL: (CHECK ONE)

- |  |  |
|--|--|
| <input type="checkbox"/> 24 ga. (0.61 mm) Steel* | <input type="checkbox"/> .050" (1.27 mm) Alum. |
| <input type="checkbox"/> .040" (1.01 mm) Alum.*  | <input type="checkbox"/> .063" (1.60 mm) Alum. |

\*Oil canning can occur on larger face heights. Recommend .050" or .063" for face heights above 8 1/4"

Color: \_\_\_\_\_ (Sm) (Tx)

Finish: \_\_\_\_\_

### QUANTITIES:

- |   |            |
|---|------------|
| ____ L.F. (12' Lengths)                 | \$ ____/LF |
| ____ EA. Outside Miters (90°)           | \$ ____/EA |
| ____ EA. Inside Miters (90°)            | \$ ____/EA |
| ____ EA. Right Endcaps                  | \$ ____/EA |
| ____ EA. Left Endcaps                   | \$ ____/EA |
| ____ EA. Right Endwall Flashings        | \$ ____/EA |
| ____ EA. Left Endwall Flashings         | \$ ____/EA |
| ____ EA. Overflow Scupper Style __A__B  | \$ ____/EA |
| ____ EA. Spillout Scupper Style __A__B  | \$ ____/EA |
| ____ EA. Downspout Scupper Style __A__B | \$ ____/EA |

A: Tapered 1 1/2" Drop

B: Flat

### COST

	P: 800-621-ROOF	DATE: 09/13/10	SHT.# ____ OF ____
		DRN BY: JJC	
		CKD BY: SAK	DWG# 12810-11489