



COPING TRANSITION MITERS

90° MITERS

OUTSIDE MITER




INSIDE MITER



FOR CUSTOM LEG LENGTHS MODIFY DRAWINGS ABOVE

NOTES:

- ① THE STANDARD LEG LENGTH FOR COPING WITH A DRIP IS THE LARGER WALL SIZE + $9\frac{5}{8}$ ".
THE STANDARD LEG LENGTH FOR COPING WITH A FLUSH FACE IS THE LARGER WALL SIZE + $10\frac{1}{8}$ ".



- ② WELDED ACCESSORIES REQUIRE A MINIMUM MATERIAL THICKNESS OF .050".

AUTHORIZED SIGNATURE:

APPROVED BY: _____

DATE: _____

MATERIAL:

___ 24 GA. GALVANIZED STEEL
___ 22 GA. GALVANIZED STEEL
___ .040" ALUMINUM
___ .050" ALUMINUM
___ .063" ALUMINUM
___ OTHER _____

COLOR: _____
FINISH: _____

QUANTITIES:

___ OUTSIDE MITERS @ 90°
___ INSIDE MITERS @ 90°

SPECIFY ACCESSORY TYPE:
☐ WELDED ②
☐ QUICKLOCK

FOR NON-90 MITERS SEE PRINT APPROVAL #23011-2480

PROJECT: _____

ARCHITECT: _____

ROOFING CONTRACTOR: _____

REPRESENTATIVE/DISTRIBUTOR: _____

CUSTOMER SERVICE
800-355-6416



DATE: 01/03/17

DRN BY: JJC

CKD BY: SAK

SHT.# _____ OF _____

DWG# 23011-2481

C