



# COPING TRANSITION MITERS

90° MITERS

## OUTSIDE MITER




## INSIDE MITER



FOR CUSTOM LEG LENGTHS MODIFY DRAWINGS ABOVE

### NOTES:

- ① THE STANDARD LEG LENGTH FOR COPING WITH A DRIP IS THE LARGER WALL SIZE +  $9\frac{5}{8}$ ".  
 THE STANDARD LEG LENGTH FOR COPING WITH A FLUSH FACE IS THE LARGER WALL SIZE +  $10\frac{1}{8}$ ".



- ② WELDED ACCESSORIES REQUIRE A MINIMUM MATERIAL THICKNESS OF .050".

AUTHORIZED SIGNATURE:

APPROVED BY: \_\_\_\_\_

DATE: \_\_\_\_\_

### MATERIAL:

- 24 GA. GALVANIZED STEEL  
 22 GA. GALVANIZED STEEL  
 .040" ALUMINUM  
 .050" ALUMINUM  
 .063" ALUMINUM  
 OTHER \_\_\_\_\_
- COLOR: \_\_\_\_\_  
 FINISH: \_\_\_\_\_

### QUANTITIES:

- \_\_\_\_\_ OUTSIDE MITERS @ 90°  
 \_\_\_\_\_ INSIDE MITERS @ 90°
- SPECIFY ACCESSORY TYPE:  
 WELDED ②  
 QUICKLOCK

FOR NON-90 MITERS SEE PRINT APPROVAL #28011-3471

PROJECT:

ARCHITECT:

ROOFING CONTRACTOR:

REPRESENTATIVE/DISTRIBUTOR:

CUSTOMER SERVICE  
 PHONE 800-969-0108  
 FAX 610-916-9501



DATE: 01/03/17

DRN BY: JJC

CKD BY: SAK

SHT.# \_\_\_\_\_ OF \_\_\_\_\_

DWG# 28011-3474

E