



EDGEBOX RI

WOOD NAILER ALTERNATIVE



NOTES

- Pre-drill with 3/16" in. drill for masonry conditions
- Product should be installed per provided installation instructions
- Finish and closure strips are only used with metal deck applications
- 3" height maximum for use with a coping product on a parapet wall
- ANSI/SPRI/FM 4435/ES-1 Test Pressure up to 911 psf (Vertical) 526 psf (Horizontal)

DIMENSIONS

_____ Box Width (In Inches)
_____ Box Height (In Inches)

MATERIALS

20 ga. Galv. Steel

SUBSTRATE

If substrate is not given, wood fasteners will be provided.

- Metal (_____ Metal Deck Height in Inches)
- Existing Wood Nailer
- Masonry

QUANTITIES

_____ Lineal Feet (12'-0" Lengths)
_____ Right Endcaps
_____ Left Endcaps
_____ Finish Strip (Style 1) Lineal Feet
_____ Finish Strip (Style 2) Lineal Feet
_____ Closure Strip Lineal Feet

APPROVALS



ANSI/SPRI/FM 4435/ES-1
Test Pressures listed in notes



PROJECT INFO

Project Name: _____

Architect: _____

Roofing Contractor: _____

Project Type:

By selecting this box you have verified and confirmed that dimensions, sizes, and quantities are correct. All products will be installed in strict accordance with printed instructions.

Date: _____

Metal-Era LLC
1600 Airport Rd.
Waukesha, WI 53188
Phone: 800-558-2162
www.metalera.com

SHT# 1 of 1

DATE: 11/15/22

DRN BY: PL

CKD BY: MM

DWG #: 11018-36641

REV: B