


REFERENCE DETAIL:

TECHNI-FLO RV


SLOPE TO SLOPE, SHINGLED VERSION
FOR HIGH SNOW LOAD CONDITIONS

U.S. PATENT # 8,075,376 B1

ENDCAPS



STYLE A



STYLE B

8" (203 mm) WIDE
COVER PLATE AT EACH JOINT

INTERMITTENT SPACER
12" (305 mm) O.C.

RIDGEVENT COVER
(12'-0" (3.65 m) LENGTHS)

CONTINUOUS
20 GA. (1.01 mm)
GALV. Z BRACKET

.050 (1.27 mm) EXPANDED
METAL SUPPORT SCREEN

EXISTING SHINGLED ROOF

RIDGE OPENING
DIMENSION DETERMINED
BY ATLAS ROOFING

ACTUAL LINEAL
FOOTAGE OF RIDGE

ACTUAL LINEAL
FOOTAGE OF EAVE

ALL FASTENERS
BY OTHERS

12

ROOF
PITCH

FASCIA IS TO BE INSTALLED PER SPECIFICATIONS AND
ATLAS ROOFING'S INSTALLATION INSTRUCTIONS DWG. # 38124-14981

Fabrication will proceed only after receipt of signed print approval.

Print Approval:

Architect and/or contractor shall verify all dimensions, sizes
and quantities. All products to be installed in strict accordance
with Atlas Roofing's printed instructions.

Approved by: _____

Date: _____

CrossVent:

Vented Nailbase _____ Air Space

COVER:

- | | |
|--|---|
| <input type="checkbox"/> 24 Ga. (.65 mm) Galv. Steel | <input type="checkbox"/> .040" (1.01 mm) Aluminum |
| <input type="checkbox"/> .050" (1.27 mm) Aluminum | <input type="checkbox"/> .063" (1.60 mm) Aluminum |
| <input type="checkbox"/> Other _____ | |

Color: _____ Finish: _____

PROJECT:

ARCHITECT:

CONTRACTOR:

REPRESENTATIVE:

QUANTITIES:

_____ Lineal Feet (12'-0" (3.65 m) Lengths)

_____ End Cap (12" (305 mm) Lengths)

_____ Style A _____ Style B



Phone: 855-542-0918
Fax: 800-770-3934
atlasroofing.com/ventilation

DATE: 08/13/13

DRN BY: JJC

CKD BY: SAK

SHT.# ____ OF ____

DWG# 38024-14983

C