





ANCHOR-TITE FASCIA - CANTED VERSION

FOR LARGER FACE HEIGHTS IN .050" & .063" ALUMINUM

ANSI / SPRI ES-1 DESIGN PRESSURE OF 139 LBS./SQ.FT.



NOTE: 3 1/2" SPLICE PLATES PROVIDED AT ALL JOINTS

EXTRUDED PROFILE

Fascia is to be installed per Specifications and Sika Sarnafil's Installation Instructions Dwg. # 14110-2842

ANCHOR-TITE FASCIA DIMENSIONS

PRODUCT ID. NO.	H DIM	X DIM
<input type="checkbox"/> AEFC-A902	9"	7"
<input type="checkbox"/> AEFC-A1052	10 1/2"	8 1/2"
<input type="checkbox"/> AEFC-A1202	12"	10"
<input type="checkbox"/> AEFC-A1352	13 1/2"	11 1/2"

Fabrication will proceed only after receipt of signed print approval.

Print Approval:

Architect and/or contractor shall verify all dimensions, sizes, and quantities. All products to be installed in strict accordance with Sika Sarnafil printed instructions.

Approved by: _____

Date: _____

MATERIAL:

____ .050" Aluminum

____ .063" Aluminum

____ OTHER _____

Color: _____

Finish: _____

QUANTITIES:

_____ Lineal Feet (12'-0" Lengths)

_____ Outside Miter(s) @ _____ 90°

_____ Inside Miter(s) @ _____ 90°

_____ Overflow Scupper Style____A____B

_____ Spillout Scupper Style____A____B

_____ Downspout Scupper Style____A____B

(____X____) Size A: Tapered 1 1/2" Drop
B: Flat

FOR NON-90 MITERS SEE PRINT APPROVAL #14010-2823

PROJECT

ARCHITECT

ROOFING CONTRACTOR

REPRESENTATIVE/DISTRIBUTOR

Sika Sarnafil Inc.
100 Dan Road
Canton, MA 02021
(800) 451-2504
Fax: (781) 828-5365
www.metalera.com/sikasarnafil



Sarnafil®

DATE: 05/10/17

DRN BY: JAB

CKD BY: SAK

SHT.# ____ OF ____

DWG# 14010-2843

H