


REFERENCE DETAIL:


# TECHNI-FLO IV

## SHINGLED VERSION ON SLOPE

ENDCAPS  
(LEFT HAND SHOWN)



STYLE A



STYLE B

ROOF  
PITCH

12

COVER (12'-0" LENGTHS)

8" WIDE  
CONCEALED  
SPLICE PLATE

6" MIN.

.050" EXPANDED  
METAL SUPPORT SCREEN

INTERMITTENT SPACER  
12" O.C.

12  
1/2" PITCH

8" WIDE  
COVER PLATE

ALL FASTENERS  
BY OTHERS

DIMENSION  
DETERMINED  
BY ATLAS ROOFING

OSB OR  
PLYWOOD

20 GA. GALV.  
Z BRACKET

### COVER:

- ☐ 24 Ga. (.65 mm) Galv. Steel ☐ .040" (1.01 mm) Aluminum  
☐ .050" (1.27 mm) Aluminum ☐ .063" (1.60 mm) Aluminum  
☐ Other \_\_\_\_\_

Color: \_\_\_\_\_ Finish: \_\_\_\_\_

### VENTILATION TYPE:

- ☐ Vented Nailbase \_\_\_\_\_ Air Space  
☐ Attic \_\_\_\_\_ Attic Floor Square Footage

### QUANTITIES:

\_\_\_\_\_ Lineal Feet (12'-0" (3.65 m) Lengths)  
 \_\_\_\_\_ Right End Cap (12" (305 mm) Lengths) \_\_\_\_\_ Style A \_\_\_\_\_ Style B  
 \_\_\_\_\_ Left End Cap (12" (305 mm) Lengths) \_\_\_\_\_ Style A \_\_\_\_\_ Style B

INTAKE VENT IS TO BE INSTALLED PER SPECIFICATIONS AND ATLAS ROOFING'S INSTALLATION INSTRUCTIONS DWG #38131-16010

Fabrication will proceed only after receipt of signed print approval.

### Print Approval:

Architect and/or contractor shall verify all dimensions, sizes and quantities. All products to be installed in strict accordance with Atlas Roofing's printed instructions.

Approved by: \_\_\_\_\_

Date: \_\_\_\_\_

PROJECT:

ARCHITECT:

CONTRACTOR:

REPRESENTATIVE:



**Techni-Flo**  
Engineered Roof Ventilation

Phone: 855-542-0918  
Fax: 800-770-3934  
atlasroofing.com

DATE: 01/28/16

DRN BY: JJC

CKD BY: SAK

SHT.# \_\_\_\_\_ OF \_\_\_\_\_

DWG# 38031-16009

C