



# SECUREDGE 2000 RADIUS FASCIA

FULLY ADHERED OR MECHANICALLY ATTACHED SINGLE-PLY VERSION

**IMPORTANT!!!** MUST INDICATE PROPER RADIUS CONDITION BY CIRCLING APPROPRIATE OUTSIDE FACE

PROVIDING A RADIUS  
THE RADIUS MAY BE PROVIDED IN ONE OF TWO METHODS:


1.) THE ACTUAL KNOWN RADIUS IS

' FEET  " INCHES

OR

2.) FIELD CONDITION MEASUREMENTS


NOTE: REFER TO ATTACHED WORKSHEET FOR FURTHER INFORMATION



MINIMUM OF 2'-6" (CALL IF LESS)  
\* RADIUS PRODUCT NOT REQUIRED IF OVER 100'-0"

MAXIMUM OF 6" (CALL IF MORE)  
\* RADIUS PRODUCT NOT REQUIRED IF UNDER 5/32"


LENGTH OF STRAIGHT EDGE  
NOTE: CHECK MEASUREMENTS ALONG ENTIRE RADIUS.  
DETAIL A



--- INDICATES AREAS THAT WILL BE SLIT AS NEEDED TO ACCOMODATE RADIUS



FASCIA COVER WILL BE PROVIDED IN 6'-0" OR 12'-0" LENGTHS, DEPENDING ON RADIUS CONDITION



RADIUS EXTRUDED BAR PROVIDED IN 12'-0" LENGTHS, EITHER SLIT OR ROLLED, DEPENDING ON RADIUS CONDITION

### SECUREDGE 2000 RADIUS FASCIA DIMENSIONS

| PRODUCT ID. NO.               | H DIM. | X DIM. | COVERAGE  |
|-------------------------------|--------|--------|-----------|
| <input type="checkbox"/> 2040 | 4"     | 2 3/4" | 1 NAILER  |
| <input type="checkbox"/> 2055 | 5 1/2" | 4 1/4" | 2 NAILERS |
| <input type="checkbox"/> 2070 | 7"     | 5 3/4" | 3 NAILERS |
| <input type="checkbox"/> 2085 | 8 1/2" | 7 1/4" | 4 NAILERS |

Fabrication will proceed only after receipt of signed print approval.

## Print Approval:

Architect and/or contractor shall verify all dimensions, sizes and quantities. All products to be installed in strict accordance with Carlisle SynTec, Inc.'s printed instructions.

Approved by: \_\_\_\_\_

Date: \_\_\_\_\_

### MATERIAL:

\_\_\_ 24 Ga. Galv. Steel  
\_\_\_ .040" Aluminum  
\_\_\_ OTHER \_\_\_\_\_

Color: \_\_\_\_\_

Finish: \_\_\_\_\_

### QUANTITIES:

\_\_\_\_\_ Lineal Feet 12'-0" (3.65 m) Lengths

PROJECT:

ARCHITECT:

ROOFING CONTRACTOR:

REPRESENTATIVE/DISTRIBUTOR:

Customer Service  
866-458-3537  
(Metal-Era)



DATE: 08/23/16

DRN BY: JAB

CKD BY: SAK

SHT.# \_\_\_ OF \_\_\_

DWG# 15010-1628

D