

ARCHED COPING

PROVIDING A RADIUS


THE RADIUS MAY BE PROVIDED IN ONE OF TWO METHODS:

1.) THE ACTUAL KNOWN RADIUS IS

OR

2.) FIELD CONDITION MEASUREMENTS



NOTE: REFER TO ATTACHED WORKSHEET FOR FURTHER INFORMATION



LENGTH OF STRAIGHT EDGE

NOTE: CHECK MEASUREMENTS ALONG ENTIRE RADIUS.

DETAIL A



Fabrication will proceed only after receipt of signed print approval.

Print Approval:

Architect and/or contractor shall verify all dimensions, sizes, and quantities. All products to be installed in strict accordance with Carlisle SynTec, Inc. printed instructions.

Approved by: _____

Date: _____

MATERIAL:

_____ .100" (2.54mm) Mill Aluminum

Color: _____

Finish: _____

QUANTITIES:

_____ Lined Feet [4'-0" (1.22m) Lengths]

_____ Right Endcaps (4'-0" Long)

_____ Left Endcaps (4'-0" Long)

PROJECT

ARCHITECT

ROOFING CONTRACTOR

REPRESENTATIVE/DISTRIBUTOR

Customer Service
888-666-4369
(Metal-Era)



DATE: 10/05/05

DRN BY: JJC

CKD BY: SAK

SHT.# ___ OF ___

DWG# 15011-1720 A